


DELL ULTRASHARP 38 CURVED USB-C HUB MONITOR | U3821DW

## Bring everything together



### STAY AHEAD OF THE CURVE

Boost productivity and experience outstanding color and clarity on this expansive 37.5" WQHD+ curved hub monitor with 95% DCI-P3 color.



### MULTITASK EFFICIENTLY

Connect two PCs to the monitor, switch between or work on both sources. Features include KVM (with Auto KVM), PIP, PBP and Easy Arrange help boost productivity.



### PRODUCTIVITY HUB

Connect to your Ethernet while charging your laptop and peripherals with RJ45, USB-C® and a host of other ports, including super speed USB 5Gbps.



### TRUSTED RELIABILITY

World's number 1 monitor company.\*  
Backed by renowned Dell reliability.

# Bring everything together



## STAY AHEAD OF THE CURVE

**More screen to do more:** See all of your work and multitask efficiently with more onscreen space on this 37.5" ultrawide WQHD+ (3840 X 1600) curved screen. With a vertical height of 1600 pixels, you can see more with less scrolling.

**All-encompassing experience:** The 2300R screen curvature creates a wider field of view, minimizes reflection and offers near uniform visual focus for a more comfortable view. Integrated dual 9W speakers deliver great sound for an immersive visual and auditory experience.

**Unparalleled focus:** Get incredible depth, breadth and a wrap-around view that helps you focus on your work. With In-Plane Switching (IPS) technology, you can expect consistent color and picture quality across a wide viewing angle.



## ACCURATE COLOR

**Consistent vibrant colors:** See true-to-life color with a color depth of 1.07 billion colors and wide color coverage including 100% sRGB, 100% Rec 709 and 95% DCI-P3. With 95% coverage of the DCI-P3 color space (which offers nearly 25% more coverage than sRGB), you will see your charts, graphs, images and video content in an even wider range of colors.

**Accurate color, out of the box:** Each monitor is factory calibrated for accurate colors right from the start.



## PRODUCTIVITY HUB

**Connect to productivity:** With connectivity options like RJ45 and USB-C, your monitor serves as a productivity hub that delivers stable Ethernet<sup>1</sup> and up to 90W of power to your laptop — all in a clutter-free setup.

**Easy to manage:** MAC Address pass-through<sup>2</sup>, PXE Boot, and Wake-on-LAN are conveniently built in.

**Multitask efficiently:** Connect two PC sources to the monitor. Our intelligent Auto KVM feature detects the latest connected PC and seamlessly switches controls over. View content from both PC sources with PBP (Picture-by-Picture) and PIP (Picture-in-Picture), and use the KVM (Keyboard, Video and Mouse) feature to control both PCs with a single keyboard and mouse.

**Extensive connectivity:** Easily connect to a variety of devices with comprehensive connectivity including DP1.4, HDMI 2.0, USB-C and super speed USB 5Gbps.<sup>3</sup> Quick access front ports allow convenient connection to peripherals and charging of mobile phones (up to 15W via USB-C).



## STYLISH AND FUNCTIONAL

**Designed with purpose:** Crafted with a premium platinum silver finish, this monitor features a 3-sided narrow bezel, and an elegant cable management system that hides cords within the monitor riser. Navigate the menu and adjust screen settings with the easy-to-use joystick control.

**Adjust to your comfort:** Tilt, swivel, and adjust the height of your monitor for a comfortable setup all day long.

**Easy on the eyes:** Optimize eye comfort with a flicker-free screen and ComfortView, a feature that reduces harmful blue light emissions. TÜV Rheinland certified – ID 1111231316.<sup>4</sup>

## DELL DISPLAY MANAGER

**Productive at every level:** Dell Display Manager's (DDM)<sup>5</sup> Easy Arrange feature lets you quickly tile and view your applications side by side across one or more connected screens for multitasking efficiency.

**More ways to manage:** Asset management reports allow IT managers to quickly capture and track monitor information as well as configure multiple monitors at once through a single setup.

## THANK YOU FOR MAKING DELL MONITORS #1 WORLDWIDE\*

**Peace of mind:** Dell Premium Panel Exchange allows a free monitor replacement during the Limited Hardware Warranty<sup>6</sup> period even if only one bright pixel is found.

**Minimize downtime:** Your monitor comes with a 3-year Advanced Exchange Service<sup>7</sup> so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.

**Get a higher level of support:** Upgrade to 24 X 7, in-region technical phone support from qualified engineers with Dell ProSupport option.<sup>8</sup>

# Features & Technical Specifications

## Monitor

|                                      |   |
|--------------------------------------|---|
| Diagonal Image Size                  | Dell UltraSharp 38 Curved USB-C Hub Monitor – U3821DW   |
| Active Display Area                  | 95.29 cm (37.52 inches)   |
| Horizontal                           | 890.0 mm (35.04 inches)   |
| Vertical                             | 387.8 mm (15.27 inches)   |
| Maximum Preset Resolution            | 3840 x 1600 @ 60Hz  |
| Aspect Ratio                         | 21:9  |
| Pixel Pitch                          | 0.22908 mm x 0.22908 mm   |
| Pixels Per Inch (PPI)                | 110.87  |
| Brightness                           | 300 cd/m <sup>2</sup> (typical)   |
| Color Gamut <sup>9</sup>             | 100% sRGB, 100% Rec 709, 95% DCI-P3   |
| Calibration Accuracy                 | 100% sRGB, 100% Rec 709 with Delta-E < 2  |
| Color Depth                          | 1.07 billion colors   |
| Contrast Ratio                       | 1000: 1 (typical)   |
| Viewing Angle                        | 178° vertical / 178° horizontal   |
| Response Time                        | 5ms (gray to gray) fast mode; 8ms (gray to gray) normal mode                                  |
| Panel Technology                     | In-Plane Switching Technology   |
| Backlight Technology                 | White LED edgelight system  |
| Display Screen Coating               | Anti-glare treatment of the front polarizer (3H) hard coating                                 |
| ComfortView with Flicker-free Screen | Yes <sup>4</sup>  |
| Dell Display Manager                 | Yes with Dell Easy Arrange and other key features   |
| Remote Asset Management              | Yes, via Dell Command   Monitor   |
| Others                               | Picture-by-Picture (PBP), Picture-in-Picture (PIP), KVM (Keyboard, Video and Mouse), Auto-KVM |
| Speakers                             | Built-in 2 x 9W   |

## Connectivity

|            |  |
|------------|--|
| Connectors | 1 x DP 1.4<br>2 x HDMI 2.0<br>1 x USB Type-C (Alternate Mode with DisplayPort 1.4, USB 3.1 upstream, Power Delivery up to 90W <sup>10</sup> )<br>1 x super speed USB 5Gbps <sup>3</sup> (USB 3.2 Gen 1) Type-B upstream port<br>3 x super speed USB 5Gbps <sup>3</sup> (USB 3.2 Gen1) downstream ports<br>1 x super speed USB 5Gbps <sup>3</sup> (USB 3.2 Gen1) with BC1.2 charging capability at 2A (maximum)<br>1 x USB Type-C downstream port with charging capability of 15W (maximum)<br>1 x Audio line-out port<br>1 x RJ45 port |
|------------|--|

## Design features

|                       |  |
|-----------------------|--|
| Adjustability         | Height-adjustable (120 mm), Tilt (-5° to 21°), Swivel (-30° to 30°), Slant Adjust (-4° to 4°)                      |
| Security              | Security lock slot (security lock not included), anti-theft stand lock slot (to lock stand to monitor using screw) |
| VESA Mounting Support | VESA mounting holes (100 mm x 100 mm — behind attached VESA cover)   |

## Power

|                                      |   |
|--------------------------------------|---|
| AC Input                             | 100 VAC to 240 VAC / 50 Hz or 60 Hz + 3 Hz / 3.0 A (maximum)                |
| voltage/frequency/current            |   |
| Power Consumption (Normal Operation) | 0.3 W (Off Mode)<br>0.3 W (Standby Mode)<br>36.5 W (On Mode)<br>230 W (Max) |

## Dimensions (with stand)

|                                |   |
|--------------------------------|---|
| Height (Compressed ~ Extended) | 443.8 mm ~ 563.8 mm (17.47 inches ~ 22.20 inches) |
| Width                          | 894.3 mm (35.21 inches)                           |
| Depth                          | 251.2 mm (9.89 inches)                            |

## Weight

|                                |                    |
|--------------------------------|--------------------|
| Weight (panel only)            | 8.8 kg (19.40 lb)  |
| Weight (with stand and cables) | 13.6 kg (29.98 lb) |
| Shipping Weight                | 19.9 kg (43.78 lb) |

## Standard Service plan

3 Years Advanced Exchange Service<sup>7</sup> & Limited Hardware Warranty<sup>6</sup>, Premium Panel Exchange

## Optional Service Plan

Dell ProSupport<sup>8</sup>

## Environmental Compliance

ENERGY STAR<sup>®</sup> certified monitor, EPEAT<sup>®</sup> Gold registered where applicable<sup>11</sup>, RoHS Compliant, TCO Certified, BFR/PVC Free (Halogen-free) (excluding external cables), Arsenic-Free glass and Mercury-Free for the panel only

## What's in the box?

### Components

- Monitor with stand

### Cables

- Power Cable
- HDMI Cable
- DP Cable (DP to DP)
- USB Type-C<sup>®</sup> Cable (C to C)
- SuperSpeed USB 5Gbps (USB 3.2 Gen1) Upstream Cable (Type-A to Type-B)

### Documentation

- Quick Setup Guide
- Factory Calibration Report
- Safety and regulatory information

# Connectivity and Accessories

DELL ULTRASHARP 38 CURVED USB-C HUB MONITOR | U3821DW

Purposeful design, built for ergonomic comfort.




Joystick control and  
Cable Management slot



Tilt adjustable



Height adjustable




Swivel



Quick release

## Connectivity



- |                       |  |   |
|-----------------------|--|---|
| 1 Security lock slot  | 6 Audio Line-out <sup>12</sup>                                       | 9 RJ45 port   |
| 2 Power connector     | 7 Super speed USB 5Gbps (USB 3.2 Gen1)<br>Type-B Upstream port       | 10 Super speed USB 5Gbps (USB 3.2 Gen1)<br>Type-A Downstream port with power charging |
| 3 HDMI port (2)       | 8 Super speed USB 5Gbps (USB 3.2 Gen1)<br>Type-A Downstream port (3) | 11 USB-C Downstream port  |
| 4 DisplayPort         |  | 12 Stand lock   |
| 5 USB-C Upstream port |  |   |

## RECOMMENDED ACCESSORIES



### DELL PREMIER MULTI-DEVICE WIRELESS KEYBOARD AND MOUSE | KM7321W\*\*

Multi-task seamlessly across 3 devices with this premium full size keyboard and sculpted mouse combo with programmable shortcuts and 36 months battery life.\*\*\*



### DELL PRO STEREO HEADSET | UC350

Experience exceptional audio clarity with this stereo headset that is certified for Microsoft® Skype® for Business. Featuring HD wideband voice to optimize in-person call quality and music clarity.

\* Dell monitors are #1 Worldwide for 7 consecutive years (2013, Q2 to 2020, Q3)! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3, 2020.

\*\* Product availability varies by country. Contact your Dell representative or visit Dell.com to learn more.

\*\*\* Based on Dell analysis of battery life usage model calculations, Nov. 2020. Results vary depending on use, operating conditions and other factors.

1 Ethernet connection via the RJ45 port.

2 MAC Address pass-through functionality is tested to work with most Dell PC systems. Functionality on non-Dell systems may vary.

3 Data transfer speeds may vary among different USB devices, system configurations, and other factors.

4 TÜV certified – Low Blue Light Content and Flicker Free (ID 1111231316). For more details, visit [www.tuv.com](http://www.tuv.com).

5 Learn more about Dell Display Manager software and where to download at [dell.com/ddm](http://dell.com/ddm)

6 For a copy of the Limited Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [dell.com/warranty](http://dell.com/warranty).

7 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See [dell.com/servicecontracts/global](http://dell.com/servicecontracts/global).

8 Availability varies, please visit [www.dell.com/support](http://www.dell.com/support) for details.

9 At panel native only, under Custom Mode preset.

10 DisplayPort and USB Type-C (Alternate mode with DP 1.4): HBR3/ DP 1.4/ DP audio is supported.

11 EPEAT registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country.

12 Connect speakers. Headphone use is not supported for the audio line out connector.

[Dell.com/monitors](http://Dell.com/monitors)

Product availability varies by country. Please contact your Dell representative for more information.

© 2021 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.

