Overview

Aruba Instant On AP22 Indoor Access Points

High-speed Wi-Fi designed with small businesses in mind. Perfect for reimagined offices, schools, and retail/hospitality businesses.

Small businesses are facing a number of challenges—challenges that need constant attention. The right technology can help you stay on top of them and stay ahead of the curve. Technologies like the ones found inside the AP22.

To meet the increasing needs and volumes of connected devices, Aruba Instant On is announcing its first Wi-Fi 6 access point: AP22. Delivering higher capacity and greater performance at a competitive price, the AP22 is the perfect access point for small businesses with expanding mobile, cloud, and IoT requirements.

Wi-Fi Certified 6TM AP22 access points deliver faster Wi-Fi speeds, greater capacity, and reduced latency between access points and devices for a superior Wi-Fi experience. With the AP22, you can upgrade your Wi-Fi network to boost performance across devices now, while preparing it for more mobile and IoT devices in the future.

Already have a demanding mobile and/or IoT environment? Delivering 4x the capacity of 802.11ac access points, AP22 can provide an exceptional user experience in a broad variety of scenarios. Remote offices. Hybrid classrooms. Hotels and restaurants. Reimagined retail and hospitality. The AP22 can handle them all without breaking a sweat.

Want to make wires a thing of the past? Combine the AP22 with Smart Mesh Wi-Fi for complete wireless coverage. Want to keep bandwidth hogs and unknown devices off your network? Banish them with the flip of your thumb on the Aruba Instant On App.

We know the critical role Wi-Fi plays in business today. No business can't afford downtime. The Aruba Instant On AP22, at every level, is designed for rapid deployment and simplified management. Be it mounting hardware, or remote device management, or having access to the latest business-grade software, the AP22 lives to make your life easier.



Overview



Aruba Instant On AP22 Indoor Access Points

Key Features

- Fast 802.11ax, 2X2:2 Wi-Fi CERTIFIED 6™ (Wi-Fi 6) MU-MIMO performance
- Smart Mesh Wi-Fi support
- Built-in Wi-Fi router/gateway functionality
- Integrated Bluetooth
- Easy-to-use web and mobile app for setup and management
- Secure Guest Wi-Fi with simple setup
- Application classification, control and visibility

Standard Features

Orthogonal Frequency-Division Multiple Access (OFDMA)

Allows access points (APs) to handle multiple Wi-Fi 6-capable clients on each channel simultaneously—regardless of device or traffic type. This improves efficiency by boosting overall capacity, while reducing latency.

Target Wake Time (TWT)

Ideal for IoTs that communicate infrequently, TWT establishes a schedule for when clients need to communicate with an AP. This helps reduce power consumption, extending the battery life of clients.

Multiuser, Multiple Input, Multiple Output (MU-MIMO)

Allows you to serve multiple clients (Wi-Fi 5 and Wi-Fi 6) at the same time.

1024-Quadrature Amplitude Modulation (1024-QAM)

Enables a 25% data increase over 256 QAM, improving throughput in your access points and devices.

Trusted Platform Module (TPM)

All Aruba Instant On access points have an installed TPM for secure storage of credentials, keys, and boot codes.

Basic Service Set Coloring (BSS Coloring)

Allows the network to assign a "color" tag to a channel and reduce the threshold for interference. Network performance is improved because APs on the same channel can be closer together and still transmit at the same time—as long as they are different colors.

Aruba Advanced Cellular Coexistence (ACC)

Uses built-in filtering to automatically minimize the impact of interference from cellular networks, distributed antenna systems (DAS), and commercial small-cell or femtocell equipment.

Low Density Parity Check (LDPC)

Delivers high-efficiency error correction for increased throughput.

Transmit Beamforming (TxBF)

Delivers increased signal reliability and range.

The Aruba Instant On App

Manage everything through our official app on the device of your choice. Manage your network from anywhere, anytime- all from the palm of your hand.

Built-in Security Gateway/Firewall

Stop unwanted people and bots from accessing your network. Leverage advanced features that do not require external gateways—or the complexity that comes with them. Quickly and easily swap it out with another AP in a single click, in case of gateway failure.

Complete App Visibility and Control

Get full visibility into the apps running on your network. Block certain applications from being used. Manage this feature straight from the Aruba Instant On app.

Tailored User Experiences

Customize the experience with logos, authentications, and rules of use. Apply bandwidth rates. Set data usage per app. Limit duration of use. Use an external portal or service like Facebook Wi-Fi. Create open guest networks for quick and easy access.

Enterprise Grade Wi-Fi and Features

Control network widths, channels, and channel widths to suit your specific environment. Keep users happy as they move between spaces or meetings with a seamless handoff between APs. Just provide secure WPA2 or WPA3 authentication on your networks and we'll do the rest.



Standard Features

Multi-site Management

Manage multiple sites, multiple networks, distributed deployments, and multi-tenancy deployments with ease through our cloudhosted web interface and mobile app. Create unique configurations, statistics, guest portals, and admin read/write and read-only privileges for every site.

PPPoE and Static IP

Every customer has a different environment. They might want to authenticate with the ISP's PPPoE server and provide static IP to the APs.

Smart Mesh

Extend coverage to hard-to-reach spaces where Ethernet cabling may not exist. Set up a Mesh network up in minutes through the app—indoors or out.

5-star Voice and Video Quality

Keep users connected via softphones and mobile apps. Automatically detect and prioritize voice and video applications such as Skype, FaceTime, and WeChat that use SIP, SCCP and other popular protocols.

Configuration Information

BTO Mo	odels			
Rule #	Description	SKU		
	AP22			
	Aruba Instant On AP22 (US) 2x2 Wi-Fi 6 Indoor Access Point	R4W01A		
	• PoE Powered with the choice to select an optional power adapter			
	Aruba Instant On AP22 (RW) 2x2 Wi-Fi 6 Indoor Access Point	R4W02A		
	• PoE Powered with the choice to select an optional power adapter			
	Aruba Instant On AP22 (JP) 2x2 Wi-Fi 6 Indoor Access Point	R4W03A		
	• PoE Powered with the choice to select an optional power adapter			
	Aruba Instant On AP22 (EG) 2x2 Wi-Fi 6 Indoor Access Point	R4W04A		
	PoE Powered with the choice to select an optional power adapter			
	Aruba Instant On AP22 (IL) 2x2 Wi-Fi 6 Indoor Access Point	R4W05A		
	PoE Powered with the choice to select an optional power adapter			
Notes:	OCA Only Model Selection Form -			
	Aruba > Instant On > Wireless Access Points:			
	Indoor AP22			
	AP22 Bundle			
	Aruba Instant On AP22 12V PSU Bundle JP	R6R77A		
	 Includes 12V Power Adapter with US Power Plug 			
	Aruba Instant On AP22 12V PSU Bundle IL	R6R78A		
	 Includes 12V Power Adapter with EU Power Plug 			
	Aruba Instant On AP22 12V PSU Bundle EG	R6R79A		
	 Includes 12V Power Adapter with EU Power Plug 			
	Instant On AP22 with 12V/18W Power adaptor US Bundle	R6M49A		
	 Includes 12V Power Adapter with US Power Plug 			
	Instant On AP22 with 12V/18W Power adaptor EU Bundle	R6M50A		
	 Includes 12V Power Adapter with EU Power Plug 			
1, 2	Instant On AP22 with 12V/18W Power adaptor Worldwide Bundle	R6M51A		
	 Includes 12V Power Adapter with Localized Power Plug 			
	Instant On AP22 with 12V/18W Power adaptor Worldwide Bundle	R6M51A		
	No Localization Selected			
	Configuration Rules			
Rule #	Description			
1	If this Access Point is selected, bring in (Min 1 // Max 1) Localized Wall Power Cord Option based on the HPN Localization Menu.			
2	Drop down under Included Power Adapter should offer the following selections: No Localization - #AC3 Option			
Notes:	OCA Only Model Selection Form -			
	Aruba > Instant On > Wireless Access Points:			
	Indoor AP22 Bundles			

Configuration Information

Accessories			
	Options		
	For AP22 Std (Min 0 // max 1) User Selection (min 0 // max 1)		
Remarks	Description	SKU	
	Aruba Instant On AP22 flush mount sleeve	R6P90A	
Notes:	AP22 ships with 1 mount for wall and ceiling; add this additional mount for aesthetic design.		
	Spare Items- Mount Kits		
	For AP22 Std (Min 0 // max 99) User Selection (min 0 // max 99)		
	AP-220-MNT-C1 2x Ceiling Grid Rail Adapter for Basic Flat Rails Mount Kit	JW044A	
	AP-220-MNT-C1 AP Mount Kit for AP-103 Single Gang Wall Box Mount Adapter		
	AP-MNT-W4 White Low Profile Basic AP Flat Surface Mount Kit	Q9U25A	
	AP-MNT-W4 Low Profile Basic AP Mount Kit		
Notes:	AP22 Unit ships with two mounting brackets, one for the ceiling mount and one for the wall mount		
Power C	ptions		
	PoE Power Options		
	For AP22 Std (Min 0 // max 1) User Selection (min 0 // max 1)		
Rule #	Description	SKU	
1	Aruba Instant On 802.3af 15.4W POE Midspan Injector	R8W31A	
1	Aruba Instant On 12V/48W PSU Power Adaptor	R3X85A	
Notes:	Most devices are PoE powered from switch so these are optional.		
	Configuration Rules		
1	If this Power Supply is selected, bring in (Min 1 // Max 1) Localized power cord based on the Aruba Wireless Power Cord Table.		

Technical Specifications

WI-FI Radio Specifications

- Dual radio for simultaneous dual-band operation
- 5 GHz 802.11ax 2x2 MIMO for up to 1.2 Gbps wireless data rate, with Multi User MIMO support (Wi-Fi 6)
- 2.4 GHz 802.11ax 2x2 MIMO for up to 574 Mbps wireless data rate (Wi-Fi 6)
- Maximum (aggregated, conducted total) transmit power (limited by local regulatory requirements):
 - 5GHz band: +21dBm (+18dBm per chain, 3dB MIMO gain)
 - 2.4Ghz band: +21dBm (+18dBm per chain, 3dB MIMO gain)

Power

- Power over Ethernet (POE): 802.3af (class 3)
- Max power consumption (worst-case): 10.1W (PoE), 8.8W (DC)
- DC power (12V) Notes: Power sources are sold separately unless you purchase the bundle SKU which comes with power options.

Additional interfaces

- Uplink Gigabit Ethernet port, with PoE-in support (802.3af)
- DC power connector (12V)
- Bluetooth Low Energy (BLE) radio
- LED status indicators (2)
- Reset/LED control button
- Kensington security slot

Antennas

Down-tilt omni-directional antennas for 2x2 MIMO with peak antenna gain of 4.3dBi in 2.4GHz and 5.6dBi in 5GHz (of the
effective, combined pattern for both antennas in each band).

Mounting

- The access point ships with a white mount clip that can attach to both wall and ceiling.
- You can also purchase a mount (R6P90A) for aesthetic design and looks of the APs, to blend seamless into your environment.

Mounting

- The access point ships with a white mount clip that can attach to both wall and ceiling.
- You can also purchase a mount (R6P90A) for aesthetic design and looks of the APs, to blend seamless into your environment.

Dimensions and weight

- Dimensions and weights exclude mount
- 160 (W) x 160 (D) x 37 mm (H)
- 6.3 (W) x 6.3 (D) x 1.5 in (H)
- 500 gm/1.1 lbs

Environmental

• Operating temperature: 0° C to +40° C (32° F to +104° F)

Technical Specifications

Certifications

- UL 2043 plenum rating
- EN 60601-1-1 and EN 60601-1-2 (for deployment in medical environments)
- Wi-Fi Alliance certified (WFA) 802.11ax with (Wi-Fi 6), WPA2, WPA3

Warranty & Support

Aruba Instant On 2-Year warranty with 24x7 phone support for first 90 days and chat support for the entire warranty period. Community support as long as you own the products.

Should you require longer support, please purchase a Foundation Care contract for your APs. The SKUs are HK1Y0E (3 years) and H30GZE (5 years).

Summary of Changes

Date	Version History	Action	Description of Change
07-Sep-2021	Version 3	Changed	Standard Features and Configuration Information sections were updated.
14-Jun-2021	Version 2	Changed	Standard Features section was updated.
03-Aug-2020	Version 1	New	New QuickSpecs

Copyright



Contact our presales specialists.

—	Get updates

© Copyright 2021 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.



To learn more, visit: http://www.hpe.com/networking

a00094637enw - 16621 - Worldwide - V3 - 07-September-2021