

HPE PROLIANT DL325 GEN10 PLUS V2 SERVER

ProLiant DL300 Servers



WHAT'S NEW

- Powered by the 3rd Generation AMD EPYC[™] Processors with more compute performance compared to the previous generation.
- Enhanced storage management with Trimode storage controllers supporting NVMe/SAS/SATA drives.
- Shorter chassis (less than one meter long) delivering improved compatibility for datacenters.
- Supports 3rd Generation AMD EPYC processors with 3D V-cache, providing 768 MB of L3 cache per processor.

OVERVIEW

Do you need a versatile single socket server that can scale with your virtualized workloads?

Building on HPE ProLiant as the intelligent foundation for hybrid cloud, the HPE ProLiant DL325 Gen10 Plus v2 server offers the 3rd Generation AMD EPYC™ Processors, delivering more performance compared to the prior generation. With up to 64 cores and up to 280W processor, 16 DIMMs for memory up to 3200 MHz, this product not only delivers low-cost virtual machines (VMs) but also better compute performance. Equipped with PCIe Gen4 capabilities, HPE ProLiant DL325 Gen10 Plus v2 server offers improved data transfer rates and higher networking speeds. Enclosed in a chassis shorter than one meter, the HPE ProLiant DL325 Gen10 Plus v2 server is more compatible and delivers a 2-socket performance in a 1-socket 1U rack profile.

FEATURES

Workload Optimization

Harness major compute power - The HPE ProLiant DL325 Gen10 Plus v2 server harnesses major compute power and can support the 3rd Generation AMD EPYC $^{\text{TM}}$ processors with up to 64-core 280W processor.

It provides up to 128 lanes of PCIe Gen4 improves I/O throughput and reduces latency.

Data sheet Page 2

Tri-mode storage controllers enhance storage management coupled with an advanced storage RAID solution.

It provides real-time operational feedback on server performance plus recommendations for fine-tuning BIOS settings to customize for changing business needs.

360 Degree Security

The HPE ProLiant DL325 Gen10 Plus v2 server is tied into the silicon root of trust and the AMD Secure Processor, a dedicated security processor embedded in the AMD EPYC system on a chip (SoC), to manage secure boot, memory encryption, and secure virtualization.

HPE ProLiant security begins with the corruption-free manufacture of the server and auditing the integrity of every component – hardware and firmware – to provide verification that the server begins its lifecycle through an uncompromised supply chain.

HPE ProLiant servers provide rapid detection of a security-compromised server, even to the point of not allowing it to boot, verifies containment of malicious code, and protects healthy servers.

HPE ProLiant servers provide automated recovery from a security event, including restoration of validated firmware, and facilitating recovery of operating system, application and data connections, which provide the fastest path to bring a server back online and into normal operations.

When it's time to retire or repurpose an HPE ProLiant server, one-button secure erase speeds and simplifies the complete removal of passwords, configuration settings and data, preventing inadvertent access to previously secured information.

Intelligent Automation

The HPE ProLiant DL325 Gen10 Plus v2 server simplifies and automates management tasks, establishing a solid foundation for an open, hybrid cloud platform enabled by composability.

Embedded in HPE servers, HPE Integrated Lights-Out(iLO) is an exclusive core intelligence that monitors server status, providing the means for reporting, ongoing management, service alerting, and local or remote management to quickly identify and resolve issues.

Automation and software-defined control reduces time spent on provisioning and maintenance, and reduces deployment times.

HPE InfoSight for servers continually analyzes server infrastructure and applies real-world examples of hundreds of thousands of servers to predict and prevent problems before they can adversely affect business operations.

Delivered as-a Service

The HPE ProLiant DL325 Gen10 Plus v2 server is supported by HPE GreenLake to simplify IT infrastructure management across your entire hybrid estate. With 24x7 monitoring and management, our experts do the heavy lifting to manage your environment with services built into consumption-based solutions.

Rapidly deploy a broad portfolio of cloud services such as machine learning operations (ML Ops), containers, storage, compute, virtual machines (VMs), data protection, and more. Workload-optimized, preconfigured solutions can be delivered to your facility quickly, decreasing downtime.

Hewlett Packard Enterprise provides customers choice in how they acquire and

Data sheet Page 3

consume IT beyond traditional financing and leasing, offering options that free trapped capital, accelerate infrastructure updates, and provide on-premises payper-use consumption with HPE GreenLake.

Technical specifications HPE ProLiant DL325 Gen10 Plus v2 server

Processor family 3rd Generation AMD EPYC** Processors Processor core a valiable 64 or 24, depending on processor Up to 768 MB L3 Cache, depending on processor model Processor speed 37, GHz maximum, depending on processor Expansion slots 3, for detailed descriptions refer to the OuickSpecs Maximum memory 4,0 TB with 256 GB DDR4 Memory slots 16 Memory type HPE DDR4 SmartMemory Memory protection features ECC Network controller Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the OuickSpecs for more details Product Dimensions (metric) 4,29 × 43.46 × 64.43 cm Weight 12 kg minimum Infrastructure management HPE iLO Standard with intelligent provisioning Cembedded), HPE OneView Standard Grequires download) HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of on-site support coverage, Additional information regarding worldwide limited warranty and technical support is available at http:///120564.www2.hpe.com/pspc/wc/public/home. Additional HPE support and service upgrades, refer to the HPE website at http://www.hpe.com/support.		
Processor cache Up to 768 MB L3 cache, depending on processor Processor speed 3.7 GHz maximum, depending on processor model Processor speed 3.7 GHz maximum, depending on processor Expansion slots 3., for detailed descriptions refer to the OuickSpecs Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 16 Memory type HPE DDR4 SmartMemory Memory protection features ECC Network controller Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the OuickSpecs for more details Product Dimensions (metric) 4.29 x 43.46 x 64.43 cm HPE ILO Standard with intelligent provisioning (embedded). HPE One-View Standard (requires download) HPE ILO Advanced. HPE ILO Advanced Premium Security Edition, and HPE One-View Advanced (require support coverage. Additional information regarding worldwide limited warranty and technical support is available at http://oce.om/psc/wichpione. Additional refer service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Processor Name	3rd Generation AMD EPYC™ Processors
Processor cache Up to 768 MB L3 cache, depending on processor model 3.7 GHz maximum, depending on processor 3. for detailed descriptions refer to the QuickSpecs Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 16 HPE DDR4 SmartMemory Memory type HPE DDR4 SmartMemory Memory protection features ECC Network controller Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more details Product Dimensions (metric) 4.29 x 43.46 x 64.43 cm Weight 12 kg minimum HPE ILO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HEE ILO Advanced, HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced (require isoness) Warranty 3/3/3: Server Warranty Includes three years of parts, three years of labor, and three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at hittp://20564.way hipscom/space/mip	Processor family	3rd Generation AMD EPYC™ Processors
Processor speed 3.7 GHz maximum, depending on processor Expansion slots 3. for detailed descriptions refer to the QuickSpecs Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 16 Memory type HPE DDR4 SmartMemory Memory protection features ECC Network controller Optional OCP and/or optional PCIe Network adapters, depending on model Shorage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more details Product Dimensions (metric) 4.29 x 43.46 x 64.43 cm Weight 12 kg minimum Infrastructure management HPE ILO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HPE ILO Advanced, HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced (require support coverage. Additional information regarding worldwide limited warranty and technical support is support coverage. Additional information regarding worldwide limited warranty and technical support is available at http:///20564.www.21 ppccom/psc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Processor core available	64 or 24, depending on processor
Expansion slots 3, for detailed descriptions refer to the OuickSpecs Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 16 HPE DDR4 SmartMemory Memory type HPE DDR4 SmartMemory ECC Network controller Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the OuickSpecs for more details Product Dimensions (metric) 4.29 x 43.46 x 64.43 cm Weight 12 kg minimum HPE ILO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require support coverage, Additional information regarding worldwide limited warranty and technical support is available at http://NDS64.www.2.hpec.om/hpsc/wc/pblic/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpec.com/support.	Processor cache	Up to 768 MB L3 cache, depending on processor model
Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 16 Memory type HPE DDR4 SmartMemory Memory protection features ECC Network controller Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more details Product Dimensions (metric) 4.29 x 43.46 x 64.43 cm Weight 12 kg minimum Infrastructure management HPE ILO Standard with intelligent provisioning (embedded). HPE OneView Standard (requires download) HPE ILO Advanced, HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced (require support coverage. Additional information regarding worldwide limited warranty and technical support is available at http://hpc.bdc.dain.org.html.ch/mer.Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Processor speed	3.7 GHz maximum, depending on processor
Memory slots 16 Memory type HPE DDR4 SmartMemory Memory protection features ECC Network controller Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more details Product Dimensions (metric) 4.29 x 43.46 x 64.43 cm Weight 12 kg minimum Infrastructure management HPE i.LO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HPE i.LO Advanced, HPE i.LO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Expansion slots	3, for detailed descriptions refer to the QuickSpecs
Memory type HPE DDR4 SmartMemory Memory protection features ECC Network controller Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more details Product Dimensions (metric) 4.29 x 43.46 x 64.43 cm Weight 12 kg minimum Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HPE iLO Advanced (HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Maximum memory	4.0 TB with 256 GB DDR4
Memory protection features ECC Network controller Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more details Product Dimensions (metric) 4.29 x 43.46 x 64.43 cm Weight 12 kg minimum Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www.2hpec.om/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Memory slots	16
Network controller Optional OCP and/or optional PCIe Network adapters, depending on model HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more details Product Dimensions (metric) 4.29 x 43.46 x 64.43 cm Weight 12 kg minimum HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://bco.564.www.2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Memory type	HPE DDR4 SmartMemory
Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more details 4.29 x 43.46 x 64.43 cm Weight 12 kg minimum HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Memory protection features	ECC
Product Dimensions (metric) 4.29 x 43.46 x 64.43 cm 12 kg minimum HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Network controller	Optional OCP and/or optional PCle Network adapters, depending on model
Infrastructure management	Storage controller	HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more details
Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Product Dimensions (metric)	4.29 x 43.46 x 64.43 cm
Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Weight	12 kg minimum
support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Infrastructure management	HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require
Drive supported 4 LFF SAS/SATA, 8 SFF SAS/SATA/NVMe with optional 1x 2 SFF SAS/SATA or 1x 2 SFF NVMe	Warranty	support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades
	Drive supported	4 LFF SAS/SATA, 8 SFF SAS/SATA/NVMe with optional 1x 2 SFF SAS/SATA or 1x 2 SFF NVMe

For additional technical information, available models and options, please reference the QuickSpecs

Make the right purchase decision. Contact our presales specialists.

Find a partner







HPE POINTNEXT SERVICES

HPE Pointnext Services brings together technology and expertise to help you drive your business forward and prepare for whatever is next.

Operational Services from HPE Pointnext Services

<u>HPE Pointnext Tech Care</u> provides fast access to product-specific experts, an Al-driven digital experience, and general technical guidance to help enable constant innovation. We have reimagined IT support from the ground up to deliver faster answers and greater value. By continuously searching for better ways to do things—as opposed to just fixing things that break—HPE Pointnext Tech Care helps you focus on achieving your business goals.

<u>HPE Pointnext Complete Care</u> is a modular, edge-to-cloud IT environment service that provides a holistic approach to optimizing your entire IT environment, and achieving agreed upon IT outcomes and business goals through a personalized and customercentric experience. All delivered by an assigned team of HPE Pointnext Services experts.

HPE Integration and Performance Services help you customize your experience at any stage of your product lifecycle with a menu of services based on individual needs, workloads, and technologies.

- Advise, design, and transform
- Deploy
- Integrate and migrate
- Operate and improve
- Financial Services
- Greenlake Management Services
- Retire and sanitize
- IT Training and personal development

Other related services

HPE Education Services delivers a comprehensive range of services to support your people as they expand their skills required for a digital transformation. Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.

Defective Media Retention is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

HPE GREENLAKE

<u>HPE Greenlake</u> is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please explore them here.

© Copyright 2022 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

AMD EPYC™ is a trademark of Advanced Micro Devices, Inc. All third-party marks are property of their respective owners.

Image may differ from the actual product PSN1013291330HKEN, August, 2022.