ThinkVision M15 62CAUAR1WW

Product
ThinkVision M15

Machine Type
62CA

Region
ASN

Display Size
15.6"

View Area
344.2x193.6 mm

Panel
In-Plane Switching

Aspect Ratio
16:9

Resolution
1920x1080

Pixel Pitch
0.179x0.179 mm

Dot / Pixel Per Inch
141 dpi

View Angle (H / V)
178 / 178

Response Time
6 ms (Extreme mode) / 14 ms (Typical mode)

Color Support
16.7 Million

Refresh Rate
60 Hz

Brightness
250 nits

Contrast Ratio
1000:1

Color Gamut
45% NTSC

Curvature
None

Anti-glare
Yes

Video Connector
2x USB-C 3.2 Gen 1 (DP 1.2 Alt Mode)

USB Port
1x USB 2.0 (1 by USB Type-C)

Camera
None

Microphone
None

Speakers
None

Power Consumption (Typical / Maximum)
8W / 9.5W

Power Adapter
External

Stand
Tilt, Height Adjust Stand

Color
Raven Black

Side Bezel Width
7.3 mm

Dimensions with Stand (HxWxD)
360.0x235.5x108.4 mm / 14.17x9.27x4.27 inches

Weight (Including Stand)
0.9 kg / 1.9 lbs.

Cables Included
USB Type-C to Type-C cable

Environmental Certification
Energy Star Certified, EPEAT Silver, RoHS

Ergonomic Certification
TÜV Rheinland Low Blue Light, TÜV Rheinland Flicker Free

Base Warranty
3-year

Operating System Support
Support Windows 7, Windows 10

Sync Technology
None

Tiny Support / CPU / Platform
None / None / None

Ethernet / Bluetooth / Wireless
None / None / None

Touch Screen / Digitizer Pen / Controller
None / None / None

Display Ram / Storage / Card Slot
None / None / None

EAN / UPC / JAN
0195713404297 / 195713404297 / None

Announce Date
2021-04-28

ThinkVision M15 Monitor

DISPLAY

Panel Size
15.6-inch

Screen Dimensions
360.0 mm x 234.0 mm

Panel Type
In-Plane Switching

Active Area
344.2 mm x 193.6 mm

Backlight
WLED

Aspect Ratio
16:9

Resolution
1920 x 1080

Pixel Pitch
0.179 mm x 0.179 mm

Dot/Pixel Per Inch (DPI/PPI)
141

Viewing Angle (H x V @ CR 10:1)
178° / 178°

Response Time
6ms (Extreme Mode)
14ms (Normal Mode)

Refresh Rate
60 Hz

Brightness (Typical)
250 cd/m^2

Contrast Ratio (Typical)
1000:1

Dynamic Contrast Ratio (Typical)
3M:1

Color Gamut (Coverage Ratio)
45% NTSC (CIE 1931)

Color Support (Typical)
16.7 Million

Anti-Glare
Yes

CONNECTIVITY

Video Signal
2 x USB Type-C[1] 3.2 Gen 1[2] (DP 1.2 Alt Mode)

USB Hub
Yes

USB Upstream
1 x USB 2.0 (1 by USB Type-C[1])

USB Downstream
1 x USB 2.0 (1 by USB Type-C[1])

SPECIAL FEATURES

Software
Lenovo ThinkColour
(Lenovo Display Control Center)[3]

Others
Height Adjustment

POWER

Power Consumption (Typ. / Max.)
8W / 9.5W

Power Consumption Sleep/Off Mode
< 0.3W

Power Consumption Switch-Off Mode
< 0.3W

ENERGY STAR Power Consumption (P_{on} / E_{TEC})
5W / 19kWh

Power Supply
External

USB Type-C Power Delivery (W)
Up to 65W[4]

Voltage Required
DC 5/9/15/20 V

MECHANICAL

Tilt Angle (Front / Back)
0° / 90°

Lift Range
10 mm

VESA Mount Capability
Yes (2 x Screws Holes, 100 mm)

Kensington Lock Slot
Yes

Cable Management
Yes

Bezel Color
Raven Black

Bezel Width (Side)
7.3 mm

Bezel Width (Top / Bottom)
7.3 / 31.9 mm

DIMENSION

**Size Packed
(D x H x W) (mm/inch)**
407.9 x 75.9 x 279.9 mm
16.06 x 2.99 x 11.02 inches

**Size Unpacked w/ Stand (Lowest Position)
(D x H x W) (mm/inch)**
235.5 x 360.0 x 108.4 mm
9.27 x 14.17 x 4.27 inches

**Size Unpacked w/ Stand (Highest Position)
(D x H x W) (mm/inch)**
245.5 x 360.0 x 108.4 mm
9.67 x 14.17 x 4.27 inches

Weight Packed (kg / lb)
1.7 kg / 3.7 lbs.[5]

Weight Unpacked (kg / lb)
0.9 kg / 1.9 lbs.[5]

WHAT'S IN THE BOX

Monitor
1 x M15 Monitor

USB Cable (Cable Length)
1 x USB Type-C to Type-C Cable (1m)

Quick Setup Guide
Yes

Others
1 x Pair of Clips
1 x Sleeve

CERTIFICATION

ENERGY STAR Certification
Yes

CCC
Yes

EPEAT
Silver

RoHS (EU 2002/95/EC)
Yes

Windows Certification
Windows 7, Windows 10

China Energy Efficiency Standard
Tier 2

TÜV Rheinland Low Blue Light
Yes

TÜV Rheinland Flicker Free
Yes

ThinkVision M15