

DATA SHEET

FortiGate® FortiWiFi 40F Series

FG-40F, FG-40F-3G4G, FWF-40F, FWF-40F-3G4G

**Next Generation Firewall
Secure SD-WAN**



The FortiGate/FortiWiFi 40F series provides a fast and secure SD-WAN solution in a compact fanless desktop form factor for enterprise branch offices and mid-sized businesses. Protects against cyber threats with system-on-a-chip acceleration and industry-leading secure SD-WAN in a simple, affordable, and easy to deploy solution. Fortinet’s Security-Driven Networking approach provides tight integration of the network to the new generation of security.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevent and detect against known and unknown attacks using continuous threat intelligence from AI-powered FortiGuard Labs security services

Performance

- Delivers industry’s best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated for best-in-class security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs

Networking

- Delivers advanced networking capabilities that seamlessly integrate with advanced layer 7 security and virtual domains (VDOMs) to offer extensive deployment flexibility, multi-tenancy and effective utilization of resources
- Delivers high-density, flexible combination of various high-speed interfaces to enable best TCO for customers for data center and WAN deployments

Management

- Includes a management console that is effective, simple to use, and provides comprehensive network automation and visibility
- Provides Zero Touch Integration with Fortinet’s Security Fabric’s Single Pane of Glass Management
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners’ products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation

| Firewall | IPS | NGFW | Threat Protection | Interfaces |
|----------|--------|----------|-------------------|----------------------------------|
| 5 Gbps | 1 Gbps | 800 Mbps | 600 Mbps | Multiple GE RJ45 WiFi variants |

DEPLOYMENT




Next Generation Firewall (NGFW)

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single high-performance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, and applications across the entire attack surface, and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with industry-validated IPS that offers low latency and optimized network performance
- Automatically block threats on decrypted traffic using the industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with AI-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric




Secure SD-WAN

- Consistent business application performance with accurate detection and dynamic WAN path steering on any best-performing WAN transport
- Accelerated Multi-cloud access for faster SaaS adoption with cloud-on-ramp
- Self-healing networks with WAN edge high availability, sub-second traffic switchover-based and real-time bandwidth compute-based traffic steering
- Automated Overlay tunnels provides encryption and abstracts physical hybrid WAN making it simple to manage
- Simplified and intuitive workflow with FortiManger for management and zero touch deployment
- Enhanced analytics both real-time and historical provides visibility into network performance and identify anomalies
- Strong security posture with next generation firewall and real-time threat protection



Small Office Deployment (NGFW)




Enterprise Branch Deployment (Secure SD-WAN)




HARDWARE


FortiGate FortiWiFi 40F Series




FortiGate FortiWiFi 40F-3G4G



Hardware Features



Hardware Features



Interfaces

1. 1x USB Port
2. 1x Console Port
3. 1x GE RJ45 WAN Port
4. 1x GE RJ45 FortiLink Port
5. 3x GE RJ45 Ethernet Ports

Interfaces

1. 1x USB Port
2. 1x Console Port
3. 1x GE RJ45 WAN Port
4. 1x GE RJ45 FortiLink Port
5. 3x GE RJ45 Ethernet Ports

Powered by Purpose-built Secure SD-WAN ASIC SOC4



- Combines a RISC-based CPU with Fortinet's proprietary Security Processing Unit (SPU) content and network processors for unmatched performance
- Delivers industry's fastest application identification and steering for efficient business operations
- Accelerates IPsec VPN performance for best user experience on direct internet access
- Enables the best of breed NGFW Security and Deep SSL inspection with high performance
- Extends security to access layer to enable SD-Branch transformation with accelerated and integrated switch and access point connectivity
- Reduces environmental footprint by saving on average over 60% in power consumption compared to previous generation of FortiGate models

3G4G WAN Connectivity

The FortiGate 40F Series includes a USB port that allows you to plug in a compatible third-party 3G4G USB modem, providing additional WAN connectivity or a redundant link for maximum reliability. The FortiGate/FortiWiFi 40F-3G4G series includes a built-in 3G4G LTE modem.

Compact and Reliable Form Factor

Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight, yet highly reliable with a superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

Secure Access Layer

FortiLink protocol enables you to converge security and the network access by integrating the FortiSwitch into the FortiGate as a logical extension of the NGFW. These FortiLink enabled ports can be reconfigured as regular ports as needed.




FORTINET SECURITY FABRIC

Security Fabric

The industry's highest-performing cybersecurity platform, powered by FortiOS, with a rich ecosystem designed to span the extended digital attack surface, delivering fully automated, self-healing network security.

- **Broad:** Coordinated detection and enforcement across the entire digital attack surface and lifecycle with converged networking and security across edges, clouds, endpoints and users
- **Integrated:** Integrated and unified security, operation, and performance across different technologies, location, deployment options, and the richest Ecosystem
- **Automated:** Context aware, self-healing network & security posture leveraging cloud-scale and advanced AI to automatically deliver near-real-time, user-to-application coordinated protection across the Fabric

The Fabric empowers organizations of any size to secure and simplify their hybrid infrastructure on the journey to digital innovation.



FortiOS™ Operating System

FortiOS, Fortinet's leading operating system enable the convergence of high performing networking and security across the Fortinet Security Fabric delivering consistent and context-aware security posture across network endpoint, and clouds. The organically built best of breed capabilities and unified approach allows organizations to run their businesses without compromising performance or protection, supports seamless scalability, and simplifies innovation consumption.

The release of FortiOS 7 dramatically expands the Fortinet Security Fabric's ability to deliver consistent security across hybrid deployment models consisting on appliances, software and As-a-Service with SASE, ZTNA and other emerging cybersecurity solutions.

SERVICES

FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.

FortiCare™ Services

Fortinet is dedicated to helping our customers succeed, and every year FortiCare services help thousands of organizations get the most from their Fortinet Security Fabric solution. We have more than 1000 experts to help accelerate technology implementation, provide reliable assistance through advanced support, and offer proactive care to maximize security and performance of Fortinet deployments.



SPECIFICATIONS

| | FORTIGATE 40F | FORTIWIFI 40F | FORTIGATE 40F-3G4G | FORTIWIFI 40F-3G4G |
|---|---------------|--|---|--|
| Interfaces and Modules | | | | |
| Hardware Accelerated GE RJ45 WAN / DMZ Ports | 1 | 1 | 1 | 1 |
| Hardware Accelerated GE RJ45 Internal Ports | 3 | 3 | 3 | 3 |
| Hardware Accelerated GE RJ45 FortiLink Ports (Default) | 1 | 1 | 1 | 1 |
| Hardware Accelerated GE RJ45 PoE/+ Ports | 0 | 0 | 0 | 0 |
| Cellular Modem | - | - | 3G4G LTE | 3G4G LTE |
| Wireless Interface | 0 | Single Radio (2.4GHz/5GHz) 802.11 /a/b/g/n/ac-W2 | 0 | Single Radio (2.4GHz/5GHz), 802.11 a/b/g/n/ac-W2 |
| Antenna Ports (SMA) | 0 | 3 | 3 | 6 |
| USB Ports | 1 | 1 | 1 | 1 |
| Console Port (RJ45) | 1 | 1 | 1 | 1 |
| SIM Slots (Nano SIM) | 0 | 0 | 2 | 2 |
| Onboard Storage | 0 | 0 | 0 | 0 |
| Included Transceivers | 0 | 0 | 0 | 0 |
| System Performance — Enterprise Traffic Mix | | | | |
| IPS Throughput ² | | | 1 Gbps | |
| NGFW Throughput ^{2,4} | | | 800 Mbps | |
| Threat Protection Throughput ^{2,5} | | | 600 Mbps | |
| System Performance and Capacity | | | | |
| IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) | | | 5 / 5 / 5 Gbps | |
| Firewall Latency (64 byte, UDP) | | | 2.97 µs | |
| Firewall Throughput (Packet per Second) | | | 7.5 Mpps | |
| Concurrent Sessions (TCP) | | | 700 000 | |
| New Sessions/Second (TCP) | | | 35 000 | |
| Firewall Policies | | | 5000 | |
| IPsec VPN Throughput (512 byte) ¹ | | | 4.4 Gbps | |
| Gateway-to-Gateway IPsec VPN Tunnels | | | 200 | |
| Client-to-Gateway IPsec VPN Tunnels | | | 250 | |
| SSL-VPN Throughput | | | 490 Mbps | |
| Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) | | | 200 | |
| SSL Inspection Throughput (IPS, avg. HTTPS) ³ | | | 310 Mbps | |
| SSL Inspection CPS (IPS, avg. HTTPS) ³ | | | 320 | |
| SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ | | | 55 000 | |
| Application Control Throughput (HTTP 64K) ² | | | 990 Mbps | |
| CAPWAP Throughput (HTTP 64K) | | | 3.5 Gbps | |
| Virtual Domains (Default / Maximum) | | | 10 / 10 | |
| Maximum Number of FortiSwitches Supported | | | 8 | |
| Maximum Number of FortiAPs (Total / Tunnel) | | | 16 / 8 | |
| Maximum Number of FortiTokens | | | 500 | |
| High Availability Configurations | | | Active-Active, Active-Passive, Clustering | |

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.
2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

4. NGFW performance is measured with Firewall, IPS and Application Control enabled.
5. Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.



SPECIFICATIONS

| | FORTIGATE 40F | FORTIWIFI 40F | FORTIGATE 40F-3G4G | FORTIWIFI 40F-3G4G |
|---|---|---------------------------------------|--|---------------------------------------|
| Dimensions and Power | | | | |
| Height x Width x Length (inches) | 1.5 × 8.5 × 6.3 | | 1.6 × 8.5 × 6.3 | |
| Height x Width x Length (mm) | 38.5 × 216 × 160 | | 40.5 × 216 × 160 | |
| Weight | 2.2 lbs (1 kg) | | 2.2 lbs (1 kg) | |
| Form Factor (supports EIA/non-EIA standards) | Desktop | | Desktop | |
| Input Rating | 12Vdc, 3A | | 12Vdc, 3A | |
| Power Required | Powered by External DC Power Adapter, 100–240V AC, 50/60 Hz | | Powered by external DC power adapter 100–240V AC, 50/60 Hz | |
| Current (Maximum) | 100V AC / 0.2A, 240V AC / 0.1A | | 100V AC / 0.3A, 240V AC / 0.2A | |
| Power Consumption (Average / Maximum) | 7.74 W / 9.46 W | 14.6 W / 16.6 W | 15.8 W / 18.6 W | 18.6 W / 19.8 W |
| Heat Dissipation | 52.55 BTU/h | 56.64 BTU/h | 63.5 BTU/h | 67.6 BTU/h |
| Operating Environment and Certifications | | | | |
| Operating Temperature | 32°–104°F (0°–40°C) | | | |
| Storage Temperature | -31°–158°F (-35°–70°C) | | | |
| Humidity | 10%–90% non-condensing | | | |
| Noise Level | Fanless 0 dBA | | | |
| Operating Altitude | Up to 7400 ft (2250 m) | | | |
| Compliance | FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB | | | |
| Certifications | ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN | | | |
| Radio Specifications | | | | |
| Multiple (MU) MIMO | N/A | 3 × 3 | N/A | 3 × 3 |
| Maximum Wi-Fi Speeds | N/A | 1300 Mbps @ 5 GHz, 450 Mbps @ 2.4 GHz | N/A | 1300 Mbps @ 5 GHz, 450 Mbps @ 2.4 GHz |
| Maximum Tx Power | N/A | 20 dBm | N/A | 20 dBm |
| Antenna Gain | N/A | 3.5 dBi @ 5GHz, 5 dBi @ 2.4 GHz | N/A | 3.5 dBi @ 5GHz, 5 dBi @ 2.4 GHz |
| Regional Compatibility | | | | |
| Regions | N/A | | All Regions | |
| Modem Model | N/A | | Sierra Wireless EM7565 (2 SIM Slots, Active/Passive) | |
| LTE Category | N/A | | CAT-12 | |
| LTE Bands | N/A | | B1, B2, B3, B4, B5, B7, B8, B9, B12, B13, B18, B19, B20, B26, B28, B29, B30, B32, B41, B42, B43, B46, B48, B66 | |
| UMTS/HSPA+ | N/A | | B1, B2, B4, B5, B6, B8, B9, B19 | |
| WCDMA | N/A | | - | |
| CDMA 1xRTT/EV-DO Rev A | N/A | | - | |
| GSM/GPRS/EDGE | N/A | | - | |
| Module Certifications | N/A | | FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB | |
| Diversity | N/A | | Yes | |
| MIMO | N/A | | Yes | |
| GNSS Bias | N/A | | Yes | |



ORDERING INFORMATION

| Product | SKU | Description |
|----------------------|----------------------|--|
| FortiGate 40F | FG-40F | 5 x GE RJ45 ports (including 4 x Internal Ports, 1 x WAN Ports). |
| FortiWiFi 40F | FWF-40F-[RC] | 5 x GE RJ45 ports (including 4 x Internal Ports, 1 x WAN Ports), Wireless (802.11a/b/g/n/ac-W2). |
| FortiGate 40F-3G4G | FG-40F-3G4G | 5 x GE RJ45 ports (Including 1 x WAN port, 4 x Switch ports) with Embedded 3G/4G/LTE wireless wan module, external SMA WWAN antennas included. |
| FortiWiFi 40F-3G4G | FWF-40F-3G4G-[RC] | 5 x GE RJ45 ports (Including 1 x WAN port, 4 x Switch ports) with Embedded 3G/4G/LTE wireless wan module, Wireless (802.11a/b/g/n/ac-W2), external SMA WWAN and wireless antennas included. |
| Optional Accessories | | |
| Rack Mount Tray | SP-RACKTRAY-02 | Rack mount tray for all FortiGate E series and F series desktop models are backwards compatible with SP-RackTray-01. For list of compatible FortiGate products, visit our Documentation website, docs.fortinet.com |
| AC Power Adaptor | SP-FG-40F-PA-10(-XX) | Pack of 10 AC power adaptors for FG/FWF-40F, come with interchangeable power plugs. (XX=various countries code). |
| Wall Mount Kits | SP-FG60F-MOUNT-20 | Pack of 20 wall mount kits for FG/FWF-40F series, FG/FWF-60F series, FG-80F, FG-81F and FG-80F-Bypass. |

[RC] = regional code: A, B, D, E, F, I, J, N, P, S, V, and Y

BUNDLES



FortiGuard Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

| Bundles | Enterprise Protection | SMB Protection | Unified Threat Protection | Advanced Threat Protection |
|---|-----------------------|----------------|---------------------------|----------------------------|
| FortiCare | 24x7 | 24x7 | 24x7 | 24x7 |
| FortiGuard App Control Service | • | • | • | • |
| FortiGuard IPS Service | • | • | • | • |
| FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service | • | • | • | • |
| FortiGuard Web and Video ¹ Filtering Service | • | • | • | |
| FortiGuard Antispam Service | • | • | • | |
| FortiGuard Security Rating Service | • | | | |
| FortiGuard IoT Detection Service | • | | | |
| FortiGuard Industrial Service | • | | | |
| FortiConverter Service | • | | | |
| FortiGate Cloud Subscription | | • | | |

1. Available when running FortiOS 7.0



www.fortinet.com

Copyright © 2022 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full all covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA (<https://www.fortinet.com/content/dam/fortinet/assets/legal/EULA.pdf>) and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy (https://secure.ethicspoint.com/domain/media/en/gui/19775/Whistleblower_Policy.pdf).