HP Z27k G3 4K USB-C Display

Technical Specifications




Front

1. Power Button

Technical Specifications

HP Z27k G3 4K USB-C Display



- 1. OSD control
- 2. Security cable slot
- 3. Master power switch
- 4. Power connector
- 5. HDMI port
- 6. DisplayPort connector
- 7. DisplayPort connector OUT

Back

- **8.** USB Type-C[™] port with DP Alt Mode 1.4, USB upstream data, and maximum power delivery up to 100 W
- 9. RJ-45 (network) jack
- 10. USB port
- **11.** USB port (Battery charging 1.2, 7.5W)
- 12 USB port
- **13.** USB port (Battery charging 1.2, 7.5W)



Panel Specifications	Display Size (Diagonal)	27"
•	Panel Technology	IPS
	Refresh Rate	60 Hz
	Panel Bit Depth	10 bit (8 bit + FRC)
	Aspect Ratio	16:9
	Brightness (Typical)	350 nits
	Contrast Ratio (Static)	1000:1
	Contrast Ratio Minimum (Static)	700:1
	Dynamic Contrast Ratio	10M:1
	Flicker Free	Yes
	Pixel Pitch	0.1554 x 0.1554 mm
	Pixels Per Inch (Ppi)	163 PPI
	Backlight Lamp Life Minimum (To Half	40 k
	Brightness - In Hours)	
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	3H
	Haze	25%
	Response Time (Typical)	5ms GtG (with overdrive)
	Horizontal Viewing Angle (Typical	178°
	Cr>10)	
	Vertical Viewing Angle (Typical Cr>10)	178°
	Panel Active Area (W X H)	596.736(H) x 335.664(V)
	NOTE: Performance Specifications Represent 1	The Typical Specifications Provided By HP's Component
	Manufacturers; Actual Performance May Vary E	Either Higher Or Lower.
Color Management	Factory Color Calibrated	Yes (Delta E <=2)
-	Calibrated Color Presets	sRGB, BT.709, P3 D65 (Production after Jan '21)
	RGB Channel Adjust	Yes, Gain
	Default Color Temperature	sRGB
Color	sRGB	99 %
	P3 D65	85%
		0570
Monitor Specifications	Bezel	4-sided Micro Edge
•	Color	(Head) Turbo Silver; (Stand) Turbo Silver
	Tilt	-5 to +20°
	Swivel	±45°
	Pivot	±90
	Height Adjust Range	150mm
	VESA Mounting	100 mm x 100 mm (bracket included)
	Security Lock Ready	Standard Security Lock Slot
	Detachable Stand	Yes
	Warranty (Number Of Years)	3/3/0 for LA, NA, EMEA, APJ; (3/3/3 in select APJ Countries)
	Low Blue Light Mode	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution
	Low Blue Light Houe	certified)
	Display Management Software	HP Display Center
	On Screen Display	Brightness +, Color, Image, Input, Power, Menu,
	lleer Assistable Function Puttons	Management, Information, Exit
	User-Assignable Function Buttons	Yes, 4 buttons
	Native Resolution	4K UHD (3840 x 2160)
	Maximum Resolution	3840 x 2160 @ 60HZ
	Preset Graphic Modes/Supported	640 x 480 @ 60Hz
	Resolutions	800 x 600 @ 60Hz

Technical Specificat	ions	
		1024 x 768 @ 60Hz
		1280 x 720 @ 60Hz
		1280 x 800 @ 60Hz
		1280 x 1024 @ 60Hz
		1440 x 900 @ 60Hz
		1600 x 900 @ 60Hz
		1600 x 1200 @ 60Hz
		1680 x 1050 @ 60Hz
		1920 x 1080 @ 60Hz
		1920 x 1200 @ 60Hz
		2560 x 1440 @ 60Hz
		2560 x 1600 @ 60Hz
		3840 x 2160 @ 23Hz
		3840 x 2160 @ 24Hz
		3840 x 2160 @ 30Hz
		3840 x 2160 @ 60Hz
	High Definition Video Formats	720 x 480i @ 60Hz
		720 x 480p @ 60Hz
		1280 x 720p @ 60Hz
		1920 x 1080i @ 60Hz
		720 x 576i @ 50Hz
		720 x 576p @ 50Hz
		1280 x 720p @ 50Hz
		1920 x 1080i @ 50Hz
		1920 x 1080p @ 60Hz
		1920 x 1080p @ 50Hz
		640 x 480p @ 60Hz
	Minimum Vertical Scan Rate	50 Hz
	Maximum Vertical Scan Rate	60 Hz
	Minimum Horizontal Scan Rate	30.0 kHz
	Maximum Horizontal Scan Rate	80.0 kHz
	Maximum Pixel Clock	600 MHz
	User Programmable Modes	20
	Languages	10 (English, Spanish, German, French, Italian, Netherlands,
		Portuguese, Japanese, T-Chinese and S-Chinese)
Connector Types		1 DisplayPort™ 1.4
connector Types	DisplayPort™ DisplayPort™ Out	
	DisplayPort™ Out HDMI	1 DisplayPort™ 1.4-out 1 HDMI 2.0
	USB Type-C™ Video Input	1 USB Type-C™ (DP Alt Mode 1.4, power delivery up to
	osb rype-c ^m video input	100W)
	USB- A	4 USB-A 3.2 Gen1 (2 for battery charging 1.2, 7.5W)
	Ethernet	Yes
Special Features	Picture-in-Picture, Picture-by-Picture	Yes
-	DaisyChain/DisplayPort Multi stream	Yes
	Transport (MST)	
	User Updateable Firmware	Yes
Power & Operating	Power Supply	Internal
Specs	Power Source	100 – 240 VAC 50 / 60 Hz
	Power Consumption- MAX	165 W
	Energy Saving/Stand By Mode	0.5 W
	Power Consumption- Typical	42 W
	Power Cable Length	1.9 m



HP Z27k G3 4K USB-C Display

ENERGY STAR Data	Operational Mode at 100 VAC	28.08 W		
	Operational Mode at 115 VAC Operational Mode at 230 VAC	28.02 W 27.98 W		
EU Energy Efficiency Class (ERP Lot-5)	On-mode Power Consumption	26W		
Class (EKF LUL-S)	ErP LOT5 Energy Efficiency Class	A F		
Operating Conditions	Operating Temperature - Celsius Operating Temperature - Fahrenheit Non-Operatin Temperature - Celsius Non-Operating Temperature - Fahrenheit Operating Humidity	5° – 35°C 41° – 95°F –34° – 60°C 29° – 140°F 20 – 80% Relative Humidity	v (non-condensina)	
	Non-Operating Humidity Operating Altitude Non-operating Altitude	5 – 95% 0 – 5,000 m (16,400 ft.) 0 – 12.192 m (40,000 ft.)		
Environmental Features and Certifications	Mercury-free LED display backlighting Arsenic-Free Display Glass Low Halogen	Yes, Mercury-free LED backlighting Yes Yes WW application CE,CB,KC/KCC/NOM/PSB/EAC/GS/TUV-S/ISO 9241-307/		
	Agency Approvals And Certifications		s/CCC/CEL/CECP/SEPA/Energy	
	Microsoft WHQL Certification	Yes		
	ENERGY STAR [®] Certified	Yes		
	EPEAT® Registered Regions need to verify by country	Yes		
	China Energy Label	CEL Grade 1		
	TCO Certified Edge	Yes		
	TCO Certified	Yes		
	SmartWay Transport Partnership - NA only	Yes (NA sku)		
Contains Recycled Plastics	Contains Recycled Plastics	86.3%		
	Recyclable Packaging (Box, packing materials)	100% recyclable packaging	J.	
Unit Product/Package Specifications	Product Dimensions (Unpacked with stand) (W x D x H)	61.23 x 20.50 x 53.03 cm	24.11 x 8.07 x 20.88 in	
	Product Dimensions (Packed) (W x D x H)	69.8 x 42.3 x 16.3 cm	27.48x 16.65 x 6.42 in	
	Display Head Dimensions (Unpacked without stand) (W × D × H)	61.23 x 6.35 x 35.61 cm	24.11 x 2.50 x 12.02 in	
	Base Area Footprint (w x d mm)	246 x 205 mm	9.69 x 8.07 in	
	Product Weight (Unpacked with stand)	6.2 kg	13.7 lb	



	Product Weight (Packed) Product Weight	9.4 kg 4.6 kg	20.7 lb 10.14 lb
What's in the box?	(Head Only) Documentation kit DP1.4 Cable (1.8m) HDMI 2.0 cable (1.8m, Production after May USB 3.2 Gen2 Type C to C (1m) Power cable VESA Adapter Cable Holder	y'21)	
User Guide and Warranty Languages	User Guide Languages Warranty Languages	Japanese, Kazakh, Korean, Portuguese, Russian, Slove Turkish. English, Arabic, S. Chinese, Dutch, Finnish, French, Gerr	nan, Greek, Hungarian, Italian, Norwegian, Polish, Brazilian nian, Spanish, Swedish and T. Chinese, Czech, Danish, nan, Greek, Hungarian, Italian, Norwegian, Polish, Brazilian



Environmental	Eco-Label Certifications	This product has received	or is in the process of being a	certified to the following		
Data	& declarations	This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:				
		IT ECO declaration				
		US ENERGY STAR	8			
		US Federal Energy Management Program (FEMP)				
		• EPEAT ^{II} Silver registered in the United States. See http://www.epeat.net				
			tatus in your country.			
		 TCO 8.0/ TCO Cer 	-			
	China Energy Conservation Program (CECP)					
		China State Environmental Protection Administration (SEPA) Taiwan Green Mark				
		 Taiwan Green Ma 	rk			
		Korea Eco-label				
		Japan PC Green la	abel*			
	Sustainable Impact	• Ocean-bound plastic in (
	Specifications	• 82.4% post-consumer recycled plastic				
		• External Power Supply 90% Efficiency				
		Low halogen				
			ited cushions are 100% susta	inably sourced and		
		recyclable		and the second stand		
			ion inside box is 100% sustai	nably sourced and		
		recyclable Recycled Plastic cushion 	c.			
		• Recycleu Plastic cusilion	5			
	System Configuration	The configuration used fo	r the Energy Consumption an	d Declared Noise		
	System comigaration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured				
		Notebook".				
	Energy Consumption					
	(in accordance with US					
	ENERGY STAR [®] test					
	method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz		
	Normal Operation (Sort	13.83 W	13.94 W	13.8 W		
	idle)					
	Normal Operation (Long	N/A	N/A	N/A		
	idle)	0.22.11/	0.22.14	0.22.14		
	Sleep	0.33 W	0.33 W	0.33 W		
	Off	0.31 W	0.32 W	0.31 W		
		NOTE:				
		Energy efficiency data listed is for an ENERGY STAR [®] compliant product if offered				
		within the model family. HP computers marked with the ENERGY STAR® Logo are				
		compliant with the applicable U.S. Environmental Protection Agency (EPA)				
		ENERGY STAR [®] specifications for computers. If a model family does not offer				
		ENERGY STAR® compliant configurations, then energy efficiency data listed is for				
		a typically configured PC featuring a hard disk drive, a high efficiency power				
		supply, and a Microsoft Windows [®] operating system.				
	Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz		
	Normal Operation (Short	43 BTU/hr	43 BTU/hr	43 BTU/hr		
	idle)	.5 510/11	15 51 0/11	.5 51 0/11		
				N1/A		
	Normal Operation (Long	N/A	N/A	N/A		
	Normal Operation (Long idle)	N/A	N/A	N/A		



	Off	1 BTI	J/hr	1 BTU/hr	1 BTU	/hr
		*NOTE: Heat dissipation is calculated based on the measured watts, as the service level is attained for one hour.		suming		
	Declared Noise Emissions (in accordance with ISO 7779 and ISO 9296)	Sound Power (L _{WAd} , bels)		Sound Pressure (L _{pAm} , decibels)		
	Typically Configured – Idle		N/A		N/A	
	Fixed Disk – Random writes		N/A		N/A	
	Optical Drive – Sequential reads		N/A		N/A	
	Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the spare parts are available throughout the warranty period and or for up to "5" years after the end of production.				
	Additional Information	 This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive - 2002/96/EC. This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). This product is in compliance with the IEEE 1680 (EPEAT) standard at the Silver level, see http://www.epeat.net Plastics parts weighing over 25 grams used in the product are marked per IS011469 and IS01043. This product is 82.4% recycle-able when properly disposed of at end of life. 				
	Packaging Materials	External:	PAPER/pa	per		1678 g
			PAPER/pa	per		676 g
		Internal:		PE (Expanded Polyethy		7 g
				PE (Expanded Polyethy		13 g
		PLASTIC/EPE (Expanded Polyet			13	
		The plastic packaging material contains at least 100% recycled content. The corrugated paper packaging materials contains at least 90% recycled content.				
RoHS ComplianceHP Inc. complies fully with materials regulations. We were among companies to extend the restrictions in the European Union (EU) R Hazardous Substances (RoHS) Directive to our products worldwide HP GSE. HP has contributed to the development of related legislat as well as China, India, and Vietnam.We believe the RoHS directive and similar laws play an important promoting industry-wide elimination of substances of concern. W supported the inclusion of additional substances—including PVC, certain phthalates—in future RoHS legislation that pertains to ele electronics products.		pean Union (EU) Restri roducts worldwide thro of related legislation in alay an important role in ces of concern. We hav s—including PVC, BFRs	ction of ough the n Europe, n ve s, and			



	We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.
	To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.
Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html): Asbestos Certain Azo Colorants Certain Brominated Flame Retardants – may not be used as flame retardants in plastics Cadmium Chlorinated Hydrocarbons Chlorinated Paraffins Bis(2-Ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (DBP) Dibutyl phthalate (DBP) Dibutyl phthalate (DBP) Disobutyl phthalate (DBP) Disobutyl phthalate (DBP) Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyl Ethers (PBBS) Polybrominated Biphenyl (PCB) Polychlorinated Biphenyl (PCT) Polychlorinated Biphenyl (PCT) Polychlorinated Biphenyl (PCT) Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	 HP follows these guidelines to decrease the environmental impact of product packaging: Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials.
	 Eliminate the use of ozone-depleting substances (ODS) in packaging materials. Design packaging materials for ease of disassembly. Maximize the use of post-consumer recycled content materials in packaging materials. Use readily recyclable packaging materials such as paper and corrugated materials.
	 Reduce size and weight of packages to improve transportation fuel efficiency.

		 Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-lif and Recyc	ie Management Cling	HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner. The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
HP, Inc. Co Environm Informati	ental	For more information about HP's commitment to the environment: Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp- information/environment/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755 842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf
footnotes	5	 Percentage of ocean-bound plastic contained in each component varies by product Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. External power supplies, WWAN modules, power cords, cables and peripherals excluded. 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic materials. Plastic cushions are made from >90% recycled plastic.

Technical Specifications

Copyright © 2021 HP Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



Summary

Change Log			
February 28,2021	V1 to V2		Energy Efficiency Class
April 16, 2021	V2 to V3	Update	VESA Mounting Specs
May 26, 2021	V3 to V4	Add	Environmental Data
June 1, 2021	V4 to V5	Update	Color Management
June 24, 2021	V5 to V6	Update	What's in the box? Section
February 8, 2023	V6 to V7	Update	Energy Efficiency Class section
March 22, 2023	V7 to V8	Update	VESA Mounting spec
	V8 to V9		